



# INSTALLATION INSTRUCTIONS


Accessory  
DOOR EDGE GUARDS

Application  
2013 MDX


Publications No.  
BII 13421  
Issue Date  
JULY 2012

## PARTS LIST

Right front door edge guard



Left front door edge guard




Right rear door edge guard



Left rear door edge guard



Seam sealant cutting tool



## TOOLS AND SUPPLIES REQUIRED

Rubber mallet  
Felt-tip pen  
Touch-up paint


## INSTALLATION

**Client Information:** The information in this installation instruction is intended for use only by skilled technicians who have the proper tools, equipment, and training to correctly and safely add equipment to your vehicle. These procedures should not be attempted by "do-it-yourselfers."


**NOTE:** The door edge guards will not fit on vehicles equipped with body side molding.

1. Clean and wax the areas to be covered. Use a high quality paste wax.
2. Identify each door edge guard by holding it up to the door and matching its contour with the door edge.
3. Using the bends for reference, position each door edge guard against the inside edge of the door. Mark the sealant at the top and bottom ending points of each door edge guard.

**Front Door:**



**Rear Door:**




4. Position the cutting edge of the seam sealant cutting tool against the door edge and trim the seam sealant from mark to mark.  
NOTE: The cutting tool cuts in only one direction. Move it upward on the right side of the vehicle and downward on the left side.
5. Apply touch-up paint to the door, and let it dry.


6. Using the bends for reference, position the door edge guard on the door edge. Starting at the feature line, use a rubber mallet to tap the door edge guard into position with a series of light taps.

NOTE: Be sure to use a series of light taps. Once in place, do not remove, reposition, or reinstall the door edge guard. It will not hold securely.

**Front Door:**



**Rear Door:**



7. Repeat steps 1 through 6 to install the door edge guards on the other side of the vehicle.