



INSTALLATION INSTRUCTIONS

Accessory
CARGO COVER
P/N 08U35-TJB-200

Application
2020 RDX

Publications No.
VERSION 1
Issue Date
APR 2019

PARTS LIST

Cargo cover




TOOLS AND SUPPLIES REQUIRED

The following tools are available through the Acura Tool and Equipment Program. On the iN, click on: Service > Service Bay > Tool and Equipment Program, then enter the number under "Search." Or, call 888-424-6857.

- Trim Tool Set (T/N SOJATP2014)
- Plastic Trim Tool (T/N SILTRIMTL10)

Illustration of the Cargo Cover in the Vehicle




CARGO COVER

QG03106AY

INSTALLATION

NOTE: Be careful not to damage the body.

1. Remove the two covers from the left and right rear side lining. Save the covers in the cargo compartment or glove box so they can be installed when the cargo cover is removed.




2 COVERS




QG03107AY

2. First, insert the left end of the cargo cover into the left recess. Then, compress the cargo cover, and install the right end into the right recess.



First, insert the left end of the cargo cover into the left recess. Then, compress the cargo cover, and install the right end into the right recess. QG03108AY

3. Attach each hook of the cargo cover to the left and right catches.



LEFT AND RIGHT CATCHES QG03109AY

Put a copy of this page in the glove box for your customer.

CLEANING THE CARGO COVER

Use a sponge or cloth and a solution of mild liquid dishwashing soap and water, then wipe dry with a clean cloth or sponge.